

# Batocera scripts

You can opt to have scripts launched at various points in Batocera. This will change the location you save the script to and how it opens.

## Launch a script, one time only during boot and shutdown

Sometimes you just want to fire up one script after successfully booting, for example when you want [to start up a VPN](#) or other after-boot tasks. In order to do this, create a script text file at `/userdata/system/custom.sh`. Be aware that the script will be executed independently of the executable (x) attribute being set to the script file or not!

This script is the very last one that will be invoked by Batocera at boot time (check `/etc/init.d/` to see all the modules that are loaded before then, `S99custom` is when the user script is launched). The filename must be `custom.sh` otherwise it will not be checked.



Make sure your script ends with Unix line terminators (LF), not Windows-style line terminators (CR/LF) otherwise the script will not launch. Use a real text editor to edit your scripts, especially if you edit them under Windows.

To distinguish between different events, the first argument parsed in the script will change:

- start Only when Batocera is booting.
- stop Only when Batocera is shutting down.

- restart  **Fix Me!**

- reload  **Fix Me!**

Putting code outside of cases which check these arguments will always be executed on both boot and shutdown.

## A simple one time script as an example

`custom.sh`

```
#!/bin/bash
# Code here will be executed on every boot and shutdown.

# Check if security is enabled and store that setting to a variable.
securityenabled="$(/usr/bin/batocera-settings-get
system.security.enabled)"
```

```

case "$1" in
  start)
    # Code in here will only be executed on boot.
    enabled="$(/usr/bin/batocera-settings-get
system.samba.enabled)"
    if [ "$enabled" = "0" ]; then
      echo "SMB services: disabled"
      exit 0
    fi
    ;;
  stop)
    # Code in here will only be executed on shutdown.
    echo -n "Shutting down SMB services: "
    kill -9 `pidof smbd`
    RETVAL=$?
    rm -f /var/run/samba/smbd.pid
    echo "done"
    ;;
  restart|reload)
    # Code in here will be executed (when?).
    echo "SMB services: reloaded"
    ;;
  *)
    # Code in here will be executed in all other conditions.
    echo "Usage: $0 {start|stop|restart}"
    ;;
esac

exit $?

```

## Launching a script, one time only early in the boot process

In Batocera **v32** and higher, you can instead opt to launch a script early in the boot process, before much of Batocera has even begun loading. This is done by storing the script in the boot partition at `/boot/boot-custom.sh`. Keep in mind that you will be limited to more basic commands/modules, as most things have not loaded yet. The filename must be `boot-custom.sh` otherwise it will not be checked.



Precisely, this is the first thing executed once *init.d* has begun. This is before the *network/share* population/IR remote daemon have even loaded so capabilities are limited. Check `/etc/init.d` to see the exact order of all the modules have been loaded in (S00bootcustom is when the `/boot/boot-custom.sh` is executed).

This can be used to effectively patch and/or override the modules loaded by Batocera. Here are some examples that are only possible with this method:

- Customize or disable `S33disablealtfn` to allow a certain text mode console on a particular TTY session.
- Tinker with `hwclock` to [save local time instead of universal time to RTC](#).
- Run `fsck -a` or `e2fsck -p` to harden the file system against data corruption in the case of a power cut/disconnection.

## Watch for a game start/stop event

Batocera **5.23** and higher supports running a script right before a game launches and/or after a game is exited. Here are some examples:

- Automatic controller setup
- Automatic scraping for new games
- Change screen resolution (though it might be better to use `switchres` for this)
- Sync savestates to an external/network device
- ... give me your idea here

Place an executable script (can have any filename) with the correct [setted shebang](#) (first line!) or an executable binary into directory `/userdata/system/scripts/`.

Game start/stop event scripts must be marked as executable with the `chmod +x` command. For example:



```
# Open up a text editor to create your script:
nano /userdata/system/scripts/first_script.sh
# Write in your script, save and exit.
# Then to add the executable bit to it:
chmod +x /userdata/system/scripts/first_script.sh
```

This means that if your `userdata` partition is of the NTFS, exFAT or older file system that are missing the executable bit functionality, it will fail to execute.

You can add as many subfolders as you want, every script placed there will be executed. To distinguish between **START** or **STOP** condition the first argument parsed in the script have either of these flags:

- `gameStart` is passed to your scripts if you select a game from EmulationStation (Game Starts!)
- `gameStop` is passed to your scripts if you are going back from a game to EmulationStation (Game Stops!)

**If you do not set cases for first argument, then the script is executed on every start and on every end of a game.**

## What is parsed

Table of parsed arguments in correct order and their functions:

| Arg no. | Parsed Parameter                       | Usage  |
|---------|--|--|
| 1       | gameStart or gameStop                  | To distinguish between START or STOP condition                                       |
| 2       | systemName                             | The system shortname as is in <code>es_system.cfg</code> , eg. <b>atari2600</b>      |
| 3       | <code>system.config['emulator']</code> | The emulator settings, eg. <b>libretro</b>   |
| 4       | <code>system.config['core']</code>     | The emulator core you have chosen, eg. <b>stella</b>                                 |
| 5       | <code>args.rom</code>                  | The full rom path, eg. <b>/userdata/roms/atari2600/Mysterious Thief, A (USA).zip</b> |

## Simple game start/stop script as an example

At first create the directory where the scripts need to be set up. [Connect through SSH](#) and type `mkdir /userdata/system/scripts`. After this we can set up our first script by typing `nano /userdata/system/scripts/first_script.sh`. The filename can be anything readable by bash.

Here's the template script:

### [first\\_script.sh](#)

```
#!/bin/bash
# This is an example file of how gameStart and gameStop events can be
used.

# It's good practice to set all constants before anything else.
logfile=/tmp/scriptlog.txt

# Case selection for first parameter parsed, our event.
case $1 in
  gameStart)
    # Commands in here will be executed on the start of any game.
    echo "START" > $logfile
    echo "$@" >> $logfile
    ;;
  gameStop)
    # Commands here will be executed on the stop of every game.
    echo "END" >> $logfile
    ;;
esac
```

Now you can see a log file created `/tmp/scriptlog.txt`, that parsed all arguments in this file. This is just a small test of course. You can check out [the SSH page](#) and [the usage of batocera-settings](#) page for general and Batocera-specific commands.

# EmulationStation scripting

In case Batocera's provided scripting functionality is not sufficient, ES itself also triggers scripts of its own volition. Extra scripts can be created at

`/userdata/system/configs/emulationstation/scripts/<event name>/<script>.sh;` unlike regular Batocera scripts the event named will trigger all scripts in the respective event folder. For instance, to have a script execute at every game-start event, it must be placed in `/userdata/system/configs/emulationstation/scripts/game-start/`.

All EmulationStation scripts must be marked as executable with the `chmod +x` command. For example:



```
# Open up a text editor to create your script:
nano /userdata/system/configs/emulationstation/scripts/game-start/first_script.sh
# Write in your script, save and exit.
# Then to add the executable bit to it:
chmod +x /userdata/system/configs/emulationstation/scripts/game-start/first_script.sh
```

This means that if your userdata partition is of the NTFS, exFAT or older file system that are missing the executable bit functionality, it will fail to execute.

| Event name    | Arguments  | Notes  |
|---------------|--|--|
| game-start    | ROM name rom, ROM path basename  | When a game starts. Nearly identical to Batocera's <code>gameStart</code> , however this doesn't include as much information and only triggers when it's ES itself that starts it. |
| game-end      | N/A  | When a game ends. Nearly identical to Batocera's <code>gameStop</code> , however this only triggers when it's ES itself that ends it.  |
| game-selected | <code>getSourceFileData()-&gt;getSystem()-&gt;getName(), getPath(), getName()</code> | New to Batocera <b>v33</b> . Whichever game is currently being hovered over. Includes games shown during the screensaver.  |

| Event name       | Arguments  | Notes   |
|------------------|--|---|
| system-selected  | System getSelected()→getName()   | New to Batocera <b>v33</b> . Whichever system is currently being hovered over in the system list. |
| theme-changed    | Theme being switched to theme_set→getSelected(), Previous theme oldTheme | When a different theme is selected. Mostly used for theme/element reloading.                      |
| settings-changed | N/A  | When a system setting is saved.   |
| controls-changed | N/A  | When a controller mapping is saved from the <b>CONTROLLER MAPPING</b> menu.                       |
| config-changed   | N/A  | Whenever any configuration, be it system settings or controller mappings, is changed.             |
| quit             | N/A  | When the system is told to do a regular shutdown.   |
| reboot           | N/A  | When the system is told to do a reboot.   |
| shutdown         | N/A  | When the system is told to do a fast shutdown.  |
| sleep            | N/A  | When the system is told to sleep.   |
| wake             | N/A  | When the system is told to wake from sleep.   |

EmulationStation sends different arguments to these scripts based on the event type. For game-related events:

| Arg no. | Parsed parameter | Usage  |
|---------|------------------|--|
| 1       | system           | The current system of the game.                    |
| 2       | rom              | The filename of the current game.                  |
| 3       | romname          | The name of the game as specified in its metadata. |



All events need to be added here.

## Simple EmulationStation script example

[pixelcade.sh](#)

```
#!/bin/bash

# Save the arguments into variables.
system="${1}"
rom="${2}"
romname="${3}"

# Convert an argument into another value.
if [[ "${system}" == "fbneo" ]]; then
    system="mame"
fi

# Switch case for certain systems.
case ${system} in
    fbneo)
        system="mame"
        ;;
    scummvm)
        rom="${rom%.*}"
        ;;
esac

# Execute this part every time this event triggers.
curl -G \
    --data-urlencode "t=${romname}" \
    http://127.0.0.1:8080/arcade/stream/${system}/`basename ${rom}`
```

## Real use cases

### Batocera after boot scripts

- [Shutdown Batocera at a given time.](#)

```
#!/bin/bash
while true; do
    currenthour=$(date +%k%M)
    if [ $currenthour -eq 2355 ]; then
        shutdown -h now
    fi
    sleep 30
done
```

## Batocera event watcher scripts

- [Output text to a file](#)

### [outputsomething.sh](#)

```
#!/bin/bash
# by cyperghost for batocera

testfile="/userdata/system/scripts/output.txt"
echo "END Script!" >> $testfile
echo "Parameter: $@" >> $testfile
echo "Systemname: $1" >> $testfile
echo "Emulatorcore: $2" >> $testfile
echo "ROM: $(basename "$3")" >> $testfile
[[ "$4" == "libretro" ]] && echo "You are free!" >> $testfile || echo
"No hotkey is pure hell eh??" >> $testfile
```

- [Method to not lose SRM and other meta-data](#)

### [custom.sh](#)

```
#!/bin/bash
# custom.sh - place to /userdata/system
# by cyperghost 23/11/19
#

if [[ $1 == stop ]]; then
    batocera-es-swissknife --emukill
fi
```

- [Splash video during game load \(x86/x86\\_64\) \(credit to @algernon\)](#)

### [videolaunchx86.sh](#)

```
#!/bin/bash

# Adds system specific loading screen videos to x86 builds of batocera
# via VLC
# Add your .mp4 videos to /userdata/loadingscreens naming them each
# with the same as in your roms folder i.e named snes.mp4 to play a video
# before for each snes game.
# Add this script in /userdata/system/scripts then chmod+x
# /userdata/system/scripts/videolaunchx86.sh in terminal to give this
# script permissions to run

do_videostart ()
{
```

```

    video="$1"
    vlc play --fullscreen --no-video-title-show --play-and-exit $video
}

# Comment out the above phrase and uncomment this one to enable playing
loading videos concurrently with emulator launch instead of before
(experimental)
#do_videostart ()
#{
# video="$1"
# vlc_opt="play --fullscreen --no-video-title-show --play-and-exit"
# vlc $vlc_opt $video &
# PID=$!
#}

videopath="/userdata/loadingscreens"

if [[ "$1" == "gameStart" && -n "$2" ]]; then
    video="{videopath}/$2.mp4"
    [[ -f "$video" ]] || exit 1
else
    exit 1
fi

do_videostart "$video"
#wait $PID
exit 0

# Replace or comment out all the other code above except for the first
bash line then uncomment the following phrase to enable a single
loading splash for all systems. It should be named default.mp4 in the
same folder as above.
#default="/userdata/loadingscreens/default.mp4"
#case $1 in
# gameStart)
#     vlc play --fullscreen --no-video-title-show --play-and-exit
$default
# ;;
#
#esac
#
#exit 0

```

- [Splash video during game load \(Raspberry Pi\)](#)

[videolaunchpi.sh](#)

```

#!/bin/bash
do_videostart ()

```

```

{
    video="$1"
    # Launch the video
    omx_fnt="--font=/usr/share/fonts/dejavu/DejaVuSans-BoldOblique.ttf"
    omx_opt="--no-keys --layer=10000 --aspect-mode=fill"
    omx_srt="--no-ghost-box --lines=1 --align=left $omx_fnt --font-size=20 --subtitles=/usr/share/batocera/splash/splash.srt"

    # Disable sound
    omx_nosound="-n -1"
    # -911 = Volume set to 35% (0n omxplayer)
    # 1/(10^(911/2000)) = 0.35034828830157

    /usr/bin/omxplayer -o both --vol -2500 $omx_opt $omx_srt
    $omx_nosound $video &
    PID=$!
}

videopath="/userdata/videoloadingscreens"

if [[ "$1" == "gameStart" && -n "$2" ]]; then
    video="{videopath}/$2.mp4"
    # Filecheck
    [[ -f "$video" ]] || exit 1
else
    exit 1
fi

do_videostart "$video"
#wait $PID
exit 0

```

- [OGST Screen Support \(original post\)](#)

## OGST\_screen.sh

```

#!/bin/bash
# Install videos of ZIP file to /userdata/OGST/
# Install scripts to /userdata/system/custom.sh and
# /userdata/system/scripts/OGST_screen.sh to use this script.

logo_folder='/userdata/OGST'
default_logo='start.mp4'
logo_file=""
loop=false
default_logo_loop=false
cache_file='/userdata/system/.cache/ffmpeg_PID'

clean_cache () {

```

```

    if [ -f $cache_file ]; then
        rm -f $cache_file
    fi
}

case "$1" in

    start)
        # init TFT screen
        [ `sbin/lsmmod | grep -c spi_s3c64xx` -ge 1 ] && rmmmod
spi_s3c64xx
        modprobe spi_s3c64xx force32b=1
        modprobe fbtft_device name=hktft9340 busnum=1 rotate=270
force32b=1

        # wait fb1 loaded
        N=0
        while ! test -e /dev/fb1 -o $N -gt 15; do
            sleep 1
            let N++
        done

        # rename fb1 to fb_ (trick to ovoid conflics with some
emulators like reicast...)
        mv /dev/fb1 /dev/fb_

        clean_cache
        logo_file=$default_logo && loop=default_logo_loop
        ;;

    stop)
        clean_cache
        logo_file='stop.mp4' && loop=false
        ;;

    gameStop)
        logo_file=$default_logo && loop=default_logo_loop
        ;;

    gameStart)
        logo_file=$default_logo && loop=default_logo_loop
        case "$2" in
            3do)                logo_file='3do/video.mp4' && loop=true
            ;;
            amiga)              logo_file='amiga/video.mp4' &&
loop=true ;;
            amigacd32)          logo_file='amigacd32/video.mp4' &&
loop=true ;;
            amstradcpc)         logo_file='amstradcpc/video.mp4' &&
loop=true ;;
            apple2)             logo_file='apple2/video.mp4' &&

```

```
loop=true ;;
    atari800)          logo_file='atari800/video.mp4' &&
loop=true ;;
    atari2600)        logo_file='atari2600/video.mp4' &&
loop=true ;;
    atari5200)        logo_file='atari5200/video.mp4' &&
loop=true ;;
    atari7800)        logo_file='atari7800/video.mp4' &&
loop=true ;;
    atarist)          logo_file='atarist/video.mp4' &&
loop=true ;;
    atomiswave)       logo_file='atomiswave/video.mp4' &&
loop=true ;;
    c64)              logo_file='c64/video.mp4' && loop=true
;;
    cavestory)        logo_file='cavestory/video.mp4' &&
loop=true ;;
    colecovision)     logo_file='colecovision/video.mp4' &&
loop=true ;;
    dreamcast)        logo_file='dreamcast/video.mp4' &&
loop=true ;;
    fba)              logo_file='fba/video.mp4' && loop=true
;;
    fds)              logo_file='fds/video.mp4' && loop=true
;;
    gameandwatch)     logo_file='gameandwatch/video.mp4' &&
loop=true ;;
    gamegear)         logo_file='gamegear/video.mp4' &&
loop=true ;;
    gb)               logo_file='gb/video.mp4' &&
loop=true ;;
    gba)              logo_file='gba/video.mp4' && loop=true
;;
    gbc)              logo_file='gbc/video.mp4' && loop=true
;;
    gx4000)           logo_file='gx4000/video.mp4' &&
loop=true ;;
    intellivision)    logo_file='intellivision/video.mp4'
&& loop=true ;;
    jaguar)           logo_file='jaguar/video.mp4' &&
loop=true ;;
    lynx)             logo_file='lynx/video.mp4' &&
loop=true ;;
    mame)             logo_file='mame/video.mp4' &&
loop=true ;;
    mastersystem)     logo_file='mastersystem/video.mp4' &&
loop=true ;;
    megadrive)        logo_file='megadrive/video.mp4' &&
loop=true ;;
    msx)              logo_file='msx/video.mp4' && loop=true
;;
```

```
        n64)                logo_file='n64/video.mp4' && loop=true
;;
        naomi)              logo_file='naomi/video.mp4' &&
loop=true ;;
        neogeo)            logo_file='neogeo/video.mp4' &&
loop=true ;;
        neogeocd)          logo_file='neogeocd/video.mp4' &&
loop=true ;;
        nes)                logo_file='nes/video.mp4' && loop=true
;;
        ngp)                logo_file='ngp/video.mp4' && loop=true
;;
        ngpc)              logo_file='ngpc/video.mp4' &&
loop=true ;;
        o2em)              logo_file='o2em/video.mp4' &&
loop=true ;;
        pcenginecd)        logo_file='pcenginecd/video.mp4' &&
loop=true ;;
        pcengine)          logo_file='pcengine/video.mp4' &&
loop=true ;;
        pcfx)              logo_file='pcfx/video.mp4' &&
loop=true ;;
        pokemini)          logo_file='pokemini/video.mp4' &&
loop=true ;;
        prboom)            logo_file='prboom/video.mp4' &&
loop=true ;;
        psp)                logo_file='psp/video.mp4' && loop=true
;;
        psx)                logo_file='psx/video.mp4' && loop=true
;;
        satellaview)       logo_file='satellaview/video.mp4' &&
loop=true ;;
        saturn)            logo_file='saturn/video.mp4' &&
loop=true ;;
        scummvm)           logo_file='scummvm/video.mp4' &&
loop=true ;;
        sega32x)           logo_file='sega32x/video.mp4' &&
loop=true ;;
        segacd)            logo_file='segacd/video.mp4' &&
loop=true ;;
        sg1000)            logo_file='sg1000/video.mp4' &&
loop=true ;;
        snes)              logo_file='snes/video.mp4' &&
loop=true ;;
        sufami)            logo_file='sufami/video.mp4' &&
loop=true ;;
        supergrafx)        logo_file='supergrafx/video.mp4' &&
loop=true ;;
        thomson)           logo_file='thomson/video.mp4' &&
loop=true ;;
        vectrex)           logo_file='vectrex/video.mp4' &&
```

```

loop=true ;;
    virtualboy)          logo_file='virtualboy/video.mp4' &&
loop=true ;;
    wswan)              logo_file='wswan/video.mp4' &&
loop=true ;;
    wswanc)            logo_file='atari800/video.mp4' &&
loop=true ;;
    x68000)           logo_file='x68000/video.mp4' &&
loop=true ;;
    zx81)             logo_file='zx81/video.mp4' &&
loop=true ;;
    zxspectrum)      logo_file='zxspectrum/video.mp4' &&
loop=true ;;
    *)
        esac
    ;;
esac

draw_logo () {
    loop=0
    if [ $3 = true ]; then loop=-1; fi
    dd if=/dev/zero of=/dev/fb_2>/dev/null >/dev/null #clear before
draw
    ffmpeg -hide_banner -re -stream_loop $loop -i $1/$2 -c:v rawvideo -
pix_fmt rgb565le -f fbdev /dev/fb_2>/dev/null >/dev/null &
    echo $! > $cache_file
}

# draw logo
if [ "$logo_file" != "" ]; then
    # kill last played video if running
    if [ -s $cache_file ]; then
        kill -9 $(cat $cache_file)
    fi
    # draw
    draw_logo $logo_folder $logo_file $loop
fi

exit 1

```

- [Change LED colors while running games, and shutdown on button press](#)

### [shutdownsimple.sh](#)

```

#!/bin/bash
LED1=22
LED2=27
SHUTDOWN=3

case "$1" in

```

```

start)
    # LED init
    echo "$LED1" > /sys/class/gpio/export
    echo "$LED2" > /sys/class/gpio/export
    echo out > /sys/class/gpio/gpio$LED1/direction
    echo 0 > /sys/class/gpio/gpio$LED1/value
    echo out > /sys/class/gpio/gpio$LED2/direction
    echo 1 > /sys/class/gpio/gpio$LED2/value

    #Button init
    echo "$SHUTDOWN" > /sys/class/gpio/export
    echo "in" > /sys/class/gpio/gpio$SHUTDOWN/direction
    #This loop continuously checks if the shutdown button was pressed
    #It sleeps as long as that has not happened.
    buttonstate1=$(cat /sys/class/gpio/gpio$SHUTDOWN/value)
    shutdownSignal=$(cat /sys/class/gpio/gpio$SHUTDOWN/value)
    while [ $shutdownSignal = $buttonstate1 ]; do
        shutdownSignal=$(cat /sys/class/gpio/gpio$SHUTDOWN/value)
        sleep 0.5
    done
    shutdown -h now
;;
stop)
    #unexport all GPIOs
    #echo "$SHUTDOWN" > /sys/class/gpio/unexport
    echo "$LED1" > /sys/class/gpio/unexport
    echo "$LED2" > /sys/class/gpio/unexport
;;
esac
exit $?

```

- [Load latest created savestate automatically](#)

### [loadlatestsave.sh](#)

```

#!/bin/bash

# disable auto load/save state inside ES
# add 'global.retroarch.savestate_auto_load=true'
# to your batocera.conf
# by cyperghost aka lala for BATOCERA
#
# download this script to '/userdata/system/scripts' and set executable
# bit
#

rom_no_ext="$(basename "${5%.*}")"
sav_path="/userdata/saves/$2"

[[ "$(batocera-settings get global.autosave)" -eq 1 ]] && exit

```

```

[[ "$(batocera-settings get global.retroarch.savestate_auto_load)" ==
"true" ]] || exit

if [[ $1 == "gameStart" ]]; then
    file="$(/bin/ls "$sav_path/$rom_no_ext.*" -turRlA | tail -1)"
    [[ -n "$file" ]] || exit
    [[ "${file##*.}" == "png" ]] && file="${file%.*}"
    [[ -f "$file" ]] || exit
    cp -f "$file" "$sav_path/$rom_no_ext.state.auto"
fi

if [[ $1 == "gameStop" ]]; then
    rm -f "$sav_path/$rom_no_ext.state.auto"
fi

```

- Faff about with audio settings.

### [audio-shenanigans.sh](#)

```

case "$1" in

    start)
        # Get the current audio profile.
        defaultprofile="$(batocera-audio get-profile)"
        # Get the current audio device.
        defaultaudio="$(batocera-audio get)"
        # Set the audio device to HDMI-2.
        batocera-audio set HDMI-2
        # Set the default "auto" audio profile.
        batocera-audio set-profile auto

        # Unmute the audio device.
        batocera-audio setSystemVolume unmute
        # Set audio level to 69.
        batocera-audio setSystemVolume 69
        # Test the audio device with Mallet.wav
        batocera-audio test
        ;;
    stop)
        # Toggle the audio mute.
        batocera-audio setSystemVolume mute-toggle

```

## Batocera boot scripts

### Delay Syncting until after everything else

## boot-custom.sh

```
#!/bin/bash
# Delay Syncthing until other boot stuff has completed.

if mv /etc/init.d/S27syncthing /etc/init.d/S99syncthing; then
    echo "Successfully delayed Syncthing."
elif ls /etc/init.d/S99syncthing; then
    echo "Command has already run!"
    exit 0
else
    echo "Syncthing failed to be delayed."
    touch /userdata/check-boot-custom-sh
    shutdown -h now
    exit 1
fi
```

## EmulationStation scripts

### Play a video on a second screen

[Original forum post with a deeper explanation.](#) Artwork needs to be sourced and placed in the appropriate Marquee and roms/Marquee folders first.

Place `game.sh` into `system/configs/emulationstation/scripts/game-selected`

### game.sh

```
#!/bin/bash
System=$1 #system name
Romname=${2%.*} #romname
rom=${Romname##*/}
/userdata/marquee.sh Gameselectd $System "$rom"
```

Place `system.sh` into `system/configs/emulationstation/scripts/system-selected`

### system.sh

```
#!/bin/bash
System=$1 #System name
/userdata/marquee.sh Systemselectd $System &
```

Place `marquee.sh` in `/userdata`

### marquee.sh

```
#!/bin/bash

case $1 in
Start)
Romname=$3
Gamepath=$2
marqueeimage=$Gamepath/images/$romname-marquee.png
if [ -f "/userdata/roms/Marquee/videos/$Romname.mp4" ]
then
ffmpeg -i /userdata/roms/Marquee/videos/$Romname.mp4 -vf scale=1280:720
-sws_flags bilinear -pix_fmt rgb565le -f fbdev /dev/fb0

fi

if [ -f "/userdata/roms/Marquee/hires/$Romname.jpg" ]
then
fbv /userdata/roms/Marquee/hires/$Romname.jpg -fer
elif [ -f "$marqueeimage" ]
then
fbv $marqueeimage -fer
else
fbv /userdata/roms/mame/images/mame.png -fer
fi

;;
Gameselectd)
System=$2 #system name
Romname=$3 #romname

if [ -f "/userdata/roms/Marquee/$Romname.png" ]
then
fbv /userdata/roms/Marquee/$Romname.png -fer
elif [ -f "/userdata/roms/$System/images/$Romname-marquee.png" ]
then
fbv "/userdata/roms/$System/images/$Romname-marquee.png" -fer
else
fbv /userdata/roms/Marquee/mame.png -fer
fi

;;

Systemselectd)
imagepath="/userdata/roms/sysimages/$2"
if [ -f "$imagepath.png" ]
then
fbv "$imagepath.png" -fer
else
fbv /userdata/roms/mame/images/mame.png -fer
fi

;;
```

```
esac
```

Place `script.sh` in `system/scripts`

`script.sh`

```
#!/bin/bash

case $1 in
gameStart)

gamepath=${5%/*}
romname=${5##*/}
/userdata/marquee.sh Start $gamepath ${romname%.*} &
;;

gameStop)
killall ffmpeg
;;
esac
```

From:  
<https://wiki.batocera.org/> - **Batocera.linux** - Wiki

Permanent link:  
[https://wiki.batocera.org/launch\\_a\\_script?rev=1660194705](https://wiki.batocera.org/launch_a_script?rev=1660194705)

Last update: **2022/08/11 05:11**

